

NYLON (Sling)

NYLON AND POLYESTER SLINGS (GENERAL INFORMATION)

NYLON SLINGS (EYE & EYE TYPE AND ENDLESS TYPE)

A versatile sling for general use. The eye & eye type can be used in a vertical, choker or basket configuration and the endless type has unlimited rigging uses. Available in nylon or polyester webbing.

REVERSE EYE NYLON SLINGS

Reverse Eye Nylon Slings are available in medium and heavy duty webbing. They are tough, double-duty slings that have eyes and body covered with Cordura Wear Pads. Eyes stand open at 90 degrees to the sling body, allowing easy choker or basket hitches. Extra service in tough applications. Also available with flat eyes.

CARGO BASKETS (HEAVY AND LIGHT DUTY)

Cargo Basket slings are used in a basket configuration where a wide sling is required for greater load stability and for proper handling of fragile or finished surfaces. Light Duty Cargo Baskets have a lower rated capacity than the Heavy Duty Cargo Baskets and also have smaller eyes to accommodate small hoist hooks.

TRIANGLE-CHOKER AND TRIANGLE-TRIANGLE NYLON SLINGS

Triangle-Choker web slings with steel end fittings are for use in vertical, choker and basket hitch applications. The Triangle-Triangle web slings also have steel triangle end fittings that are only used in vertical and basket hitch applications.

ROUND SLINGS (EYE & EYE TYPE AND ENDLESS TYPE)

Round Slings are the most versatile slings and are capable of being used in a vertical, choker and basket configuration. On the endless type wear points can be shifted to extend sling life. The pliable body hugs the load and offers super strength and ease of handling. Slings feature identification tags indicating size, type and rated capacity.

BRIDLE SLINGS (MULTI-LEG NYLON SLINGS)

Bridle Slings are special rigging slings with a variety of combinations of rings and/or hooks. Available with single, double or more legs, three and four legged assemblies available on request.

RATCHET STRAPS

Ratchet Strap assemblies are used to tie down loads on flatbed trailers, trucks and for many other cargo restraint applications. Available with Flat Hooks, D-Rings, Grab Hooks or Chain with Grab Hooks.


SAMPLES OF HITCHES



Vertical



Choker




Basket

NYLON (Sling)


NYLON AND POLYESTER WEB SLINGS

EYE AND EYE TYPE SPECIFICATIONS (FLAT OR TWIST EYE AVAILABLE)

Width	Number of Plies	Working Load Limit for Light Duty Web (lbs.)				Working Load Limit for Heavy Duty Web (lbs.)			
		Vertical	Choker	Basket	Part #	Vertical	Choker	Basket	Part #
1"	1	1,200	900	2,400	EE1-601	1,600	1,200	3,200	EE1-901
1"	2	2,400	2,000	4,800	EE2-601	3,200	2,500	6,400	EE2-901
1"	3	3,600	2,900	7,200	EE3-601	4,100	3,300	8,200	EE3-901
1"	4	4,800	3,800	9,600	EE4-601	6,100	4,900	12,200	EE4-901
1.5"	1	1,650	1,320	3,300	EE1-6015	2,350	1,860	4,560	EE1-9015
1.5"	2	3,000	2,640	6,600	EE2-6015	4,650	3,720	9,300	EE2-9015
2"	1	2,400	2,000	4,800	EE1-602	3,200	2,500	6,400	EE1-902
2"	2	4,800	3,800	9,600	EE2-602	6,400	5,000	12,800	EE2-902
2"	3	7,000	5,200	14,000	EE3-602	8,200	6,600	16,500	EE3-902
2"	4	8,900	7,100	17,800	EE4-602	12,200	9,800	24,400	EE4-902
3"	1	3,600	2,900	7,200	EE1-603	4,800	3,800	9,600	EE1-903
3"	2	6,650	5,300	13,300	EE2-603	8,900	7,200	17,800	EE2-903
3"	3	10,000	8,000	20,000	EE3-603	12,300	9,900	24,600	EE3-903
3"	4	13,300	10,700	26,600	EE4-603	18,000	13,500	36,000	EE4-903
4"	1	4,800	3,800	9,600	EE1-604	6,400	5,000	12,800	EE1-904
4"	2	8,600	6,900	17,200	EE2-604	12,000	9,600	24,000	EE2-904
4"	3	13,000	10,000	26,000	EE3-604	15,300	12,200	30,600	EE3-904
4"	4	17,300	13,800	34,600	EE4-604	24,000	18,000	48,000	EE4-904
5"	1	NA	NA	NA	NA	8,000	6,400	16,000	EE1-905
5"	2	NA	NA	NA	NA	14,250	11,400	28,500	EE2-905
5"	3	NA	NA	NA	NA	22,500	18,000	45,000	EE3-905
5"	4	NA	NA	NA	NA	30,000	22,500	60,000	EE4-905
6"	1	7,200	5,800	14,400	EE1-606	9,600	7,600	19,200	EE1-906
6"	2	12,200	9,800	24,500	EE2-606	18,000	14,500	36,000	EE2-906
6"	3	18,000	14,500	36,000	EE3-606	23,000	18,400	46,000	EE3-906
6"	4	24,500	19,600	49,000	EE4-606	36,000	24,000	72,000	EE4-906
8"	1	NA	NA	NA	NA	12,800	10,000	25,600	EE1-908
8"	2	NA	NA	NA	NA	22,800	18,000	45,600	EE2-908
8"	3	NA	NA	NA	NA	34,000	27,200	68,000	EE3-908
8"	4	NA	NA	NA	NA	45,000	36,000	90,000	EE4-908
10"	1	NA	NA	NA	NA	16,000	12,800	32,000	EE1-910
10"	2	NA	NA	NA	NA	28,000	22,500	56,000	EE2-910
10"	3	NA	NA	NA	NA	36,000	28,500	72,000	EE3-910
10"	4	NA	NA	NA	NA	55,000	44,000	110,000	EE4-910
12"	1	NA	NA	NA	NA	19,200	15,400	38,400	EE1-912
12"	2	NA	NA	NA	NA	33,600	26,750	67,200	EE2-912
12"	3	NA	NA	NA	NA	46,000	36,500	92,000	EE3-912
12"	4	NA	NA	NA	NA	66,000	52,800	132,000	EE4-912



Flat Eye



Twist Eye

NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS

ENDLESS TYPE SPECIFICATIONS




Width	Number of Plies	Working Load Limit for <i>Light Duty</i> Web (lbs.)				Working Load Limit for <i>Heavy Duty</i> Web (lbs.)			
		Vertical	Choker	Basket	part #	Vertical	Choker	Basket	Part #
1"	1	2,400	2,000	4,800	EN1-601	3,200	2,500	6,400	EN1-901
1"	2	4,800	3,800	9,600	EN2-601	6,400	5,000	12,800	EN2-901
1"	3	7,200	5,800	14,400	EN3-601	9,000	7,200	18,000	EN3-901
1"	4	9,600	7,700	19,200	EN4-601	11,000	8,800	22,000	EN4-901
1.5"	1	3,300	2,640	6,600	EN1-6015	4,650	3,720	9,300	EN1-9015
1.5"	2	6,600	5,280	13,200	EN2-6015	9,300	7,440	18,600	EN2-9015
2"	1	4,800	3,800	9,600	EN1-602	6,400	5,000	12,800	EN1-902
2"	2	9,600	7,700	19,200	EN2-602	12,800	10,200	25,600	EN2-902
2"	3	13,300	10,700	26,600	EN3-602	16,500	13,200	33,000	EN3-902
2"	4	17,800	14,200	35,500	EN4-602	22,000	17,600	43,900	EN4-902
3"	1	7,200	5,700	14,400	EN1-603	9,600	7,600	19,200	EN1-903
3"	2	13,300	10,500	26,600	EN2-603	18,000	14,000	36,000	EN2-903
3"	3	20,000	16,000	40,000	EN3-603	24,700	19,800	49,400	EN3-903
3"	4	26,700	21,300	53,300	EN4-603	32,900	26,300	65,800	EN4-903
4"	1	9,600	7,700	19,200	EN1-604	12,800	10,200	25,600	EN1-904
4"	2	17,300	13,500	34,600	EN2-604	24,000	18,000	48,000	EN2-904
4"	3	25,900	20,700	51,800	EN3-604	34,400	27,500	68,800	EN3-904
4"	4	34,600	27,600	69,100	EN4-604	40,800	32,600	81,500	EN4-904
5"	1	NA	NA	NA	NA	16,000	12,000	32,000	EN1-905
5"	2	NA	NA	NA	NA	28,000	22,400	56,000	EN2-905
5"	3	NA	NA	NA	NA	42,000	33,600	84,000	EN3-905
5"	4	NA	NA	NA	NA	56,000	44,800	112,000	EN4-905
6"	1	14,400	11,500	28,800	EN1-606	19,200	15,300	38,400	EN1-906
6"	2	24,500	19,600	49,000	EN2-606	32,600	26,100	65,300	EN2-906
6"	3	36,800	29,400	73,400	EN3-606	45,900	36,700	91,700	EN3-906
6"	4	49,000	39,200	97,900	EN4-606	61,200	48,900	122,300	EN4-906
8"	1	NA	NA	NA	NA	25,600	20,500	51,200	EN1-908
8"	2	NA	NA	NA	NA	41,000	32,800	81,900	EN2-908
10"	1	NA	NA	NA	NA	32,000	25,600	64,000	EN1-910
10"	2	NA	NA	NA	NA	48,000	38,000	96,000	EN2-910
12"	1	NA	NA	NA	NA	38,400	30,700	76,800	EN1-912
12"	2	NA	NA	NA	NA	53,700	43,000	107,400	EN2-912

NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS

REVERSE EYE TYPE SPECIFICATIONS (FLAT OR TWIST EYE AVAILABLE)


Width	Number of Plies	Working Load Limit for Light Duty Web (lbs.)				Working Load Limit for Heavy Duty Web (lbs.)			
		Vertical	Choker	Basket	part #	Vertical	Choker	Basket	Part #
2"	1	3,600	3,000	7,200	RE1-602	4,500	3,600	9,000	RE1-902
2"	2	6,000	4,800	12,000	RE2-602	7,500	6,000	15,000	RE2-902
3.5"	1	5,000	4,000	10,000	RE1-6035	NA	NA	NA	NA
3.5"	2	9,000	7,200	18,000	RE2-6035	NA	NA	NA	NA
3.5"	3	12,000	9,600	24,000	RE3-6035	NA	NA	NA	NA
4"	1	6,800	5,500	13,600	RE1-604	8,600	6,900	17,200	RE1-904
4"	2	11,000	8,800	22,000	RE2-604	14,500	11,600	29,000	RE2-904
4"	3	NA	NA	NA	NA	20,400	16,300	40,800	RE3-904
4"	4	NA	NA	NA	NA	23,000	18,400	46,000	RE4-904
6"	1	8,000	6,400	16,000	RE1-606	11,000	8,800	22,000	RE1-906
6"	2	14,000	11,000	28,000	RE2-606	20,000	16,000	40,000	RE2-906
6"	3	NA	NA	NA	NA	27,000	21,500	54,000	RE3-906
6"	4	NA	NA	NA	NA	35,000	28,000	70,000	RE4-906



NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS

WIDE BODY HEAVY DUTY BASKET SPECIFICATIONS




Width	Number of Plies	Eye Width	Eye Length	Working Load Basket (lbs.)	Part Number
6"	1	1-1/2"	12"	19,200	WB1-906
6"	2	1-1/2"	15"	36,000	WB2-906
8"	1	2"	12"	25,600	WB1-908
8"	2	2"	15"	48,000	WB2-908
10"	1	1-3/4"	15"	32,000	WB1-910
10"	2	2-1/2"	18"	60,000	WB2-910
12"	1	2"	15"	38,400	WB1-912
12"	2	3"	18"	72,000	WB2-912
16"	1	3"	18"	51,200	WB1-916
16"	2	4"	24"	82,000	WB2-916
20"	1	3-1/2"	24"	64,000	WB1-920
20"	2	5"	24"	96,000	WB2-920
24"	1	4"	24"	76,800	WB1-924
24"	2	6"	24"	108,000	WB2-924

NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS

LIGHT DUTY CARGO BASKET SPECIFICATIONS


Width	Number of Plies	Eye Width	Eye Length	Working Load Basket (lbs.)	Part Number
6"	1	1"	9"	3,000	LB1-906
6"	1	1"	9"	6,000	LB2-906
8"	1	1"	12"	3,000	LB1-908
8"	1	1"	12"	6,000	LB2-908
10"	1	1"	12"	3,000	LB1-910
10"	1	1"	15"	6,000	LB2-910
12"	1	1"	18"	3,000	LB1-912
12"	1	1"	18"	6,000	LB2-912
16"	1	2"	18"	5,000	LB1-916
16"	1	2"	24"	10,000	LB2-916
20"	1	2"	24"	5,000	LB1-920
20"	1	2"	24"	10,000	LB2-920
24"	1	2"	24"	5,000	LB1-924
24"	1	2"	24"	10,000	LB2-924



NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS

TRIANGLE-CHOKER AND TRIANGLE-TRIANGLE SPECIFICATIONS



Triangle-Choker
for use in vertical,
choker & basket

Triangle-Triangle
for use in vertical and
basket hitch only

Width	Number of Plies	Working Load Limit (lbs.)			Part Number
		Vertical	Choker	Basket	
2"	1	2,400	2,000	4,800	*1-602
2"	1	3,200	2,500	6,400	*1-902
2"	2	4,800	3,800	9,600	*2-602
2"	2	6,400	5,000	12,800	*2-902
3"	1	3,600	2,900	7,200	*1-603
3"	1	4,800	3,800	9,600	*1-903
3"	2	6,650	5,300	13,300	*2-603
3"	2	8,900	7,200	17,800	*2-903
4"	1	4,800	3,800	9,600	*1-604
4"	1	6,400	5,000	12,800	*1-904
4"	2	8,600	6,900	17,200	*2-604
4"	2	12,000	9,600	24,000	*2-904
5"	1	8,000	6,400	16,000	*1-905
5"	2	14,250	11,400	28,500	*2-905
6"	1	7,200	5,800	14,400	*1-606
6"	1	9,600	7,600	19,200	*1-906
6"	2	12,200	9,800	24,500	*2-606
6"	2	18,000	14,400	36,000	*2-906
8"	1	12,800	10,000	25,600	*1-908
8"	2	22,800	18,000	45,600	*2-908
10"	1	16,000	12,800	32,000	*1-910
10"	2	28,000	22,500	56,000	*2-910
12"	1	19,200	15,400	38,400	*1-912
12"	2	33,600	26,750	67,200	*2-912


* Insert prefix TC for Triangle-Choker or TT for Triangle-Triangle sling i.e. Part No. TC1-602 or TT1-602

NYLON (Sling)

NYLON AND POLYESTER WEB SLINGS


SAF/GRIP ROUND SLING SPECIFICATIONS

Color Code	Approx. Body Dia.	Working Load Limit (lbs.)			Minimum Length	Part Number
		Vertical	Choker	Basket		
Purple	0.60"	2,600	2,100	5,200	3 ft	SR-1
Green	0.80"	5,300	4,200	10,600	3 ft	SR-2
Yellow	1.00"	8,400	6,700	16,800	3 ft	SR-3
Tan	1.20"	10,600	8,500	21,200	3 ft	SR-4
Red	1.30"	13,200	10,600	26,400	3 ft	SR-5
White	1.40"	16,800	13,400	33,600	6 ft	SR-6
Blue	1.75"	21,200	17,000	42,400	6 ft	SR-7
Orange	2.00"	25,000	20,000	50,000	6 ft	SR-8
Orange	2.25"	31,000	24,800	62,000	6 ft	SR-9
Orange	2.50"	40,000	32,000	80,000	6 ft	SR-10
Orange	3.00"	53,000	42,400	106,000	7 ft	SR-11
Orange	3.25"	66,000	52,800	132,000	7 ft	SR-12
Orange	3.75"	90,000	72,000	180,000	7 ft	SR-13
Orange	4.00"	100,000	80,000	200,000	7 ft	SR-13S



SAF/GRIP EYE & EYE ROUND SLING SPECIFICATIONS


Color Code	Working Load Limit (lbs.)			Minimum Length	Part Number
	Vertical	Choker	Basket		
Purple	2,600	2,100	5,200	4 ft	SR1-EE
Green	5,300	4,200	10,600	4 ft	SR2-EE
Yellow	8,400	6,700	16,800	4 ft	SR3-EE
Tan	10,600	8,500	21,200	5 ft	SR4-EE
Red	13,200	10,600	26,400	5 ft	SR5-EE
White	16,800	13,400	33,600	7 ft	SR6-EE
Blue	21,200	17,000	42,400	7 ft	SR7-EE



NYLON (Sling)


BRIDLE SLINGS (SINGLE & MULTI-LEG)

SINGLE LEG BRIDLE SPECIFICATIONS



Top Fitting	Bottom Fittings	Working Load Limit (lbs.)	Part Number
1/2" Master Link	1/2" Master Link	3,200	ML1-2901-MM
2 Ton Eye Hook	2 Ton Eye Hook	3,200	ML1-2901-HH
1/2" Master Link	2 Ton Eye Hook	3,200	ML1-2901-MH
3/4" Master Link	3/4" Master Link	6,000	ML1-2902-MM
3 Ton Eye Hook	3 Ton Eye Hook	6,000	ML1-2902-HH
3/4" Master Link	3 Ton Eye Hook	6,000	ML1-2902-MH
1" Master Link	1" Master Link	8,900	ML1-2903-MM
4.5 Ton Eye Hook	4.5 Ton Eye Hook	8,900	ML1-2903-HH
1" Master Link	4.5 Ton Eye Hook	8,900	ML1-2903-MH

DOUBLE LEG BRIDLE SPECIFICATIONS



Top Fitting	Bottom Fittings	Working Load Limit (lbs.)			Part Number
		60°	45°	30°	
1/2" Master Link	1/2" Master Links	2,800	2,300	1,600	ML2-1901-MMM
1/2" Master Link	1 Ton Eye Hooks	2,800	2,300	1,600	ML2-1901-MHH
3/4" Master Link	3/4" Master Links	5,500	4,500	3,200	ML2-2901-MMM
3/4" Master Link	2 Ton Eye Hooks	5,500	4,500	3,200	ML2-2901-MHH
1" Master Link	1" Master Links	10,400	8,500	6,000	ML2-2902-MMM
1" Master Link	3 Ton Eye Hooks	10,400	8,500	6,000	ML2-2902-MHH
1-1/4" Master Link	1-1/4" Master Links	15,400	12,600	8,900	ML2-2903-MMM
1-1/4" Master Link	4.5 Ton Eye Hooks	15,400	12,600	8,900	ML2-2903-MHH

NYLON (Sling)

RATCHET STRAP ASSEMBLIES

RATCHET STRAP SPECIFICATIONS

End Fittings	Strap Width	Strap Length	Webbing	Working Load Limit (lbs.)	Part Number
Flat Hooks	2"	27'	Medium-Duty	2,000	6P27FH
		30'			6P30FH
Snap Hooks	2"	27'	Medium-Duty	2,000	6P27SN
		30'			6P30SN
Delta Rings	2"	27"	Medium-Duty	2,000	6P27DR
		30'			6P30DR
Flat Hooks	2"	27'	Heavy-Duty	3,335	10P27FH
		30'			10P30FH
Snap Hooks	2"	27'	Heavy-Duty	3,335	10P27SN
		30'			10P30SN
Chain with Grab hooks	2"	27'	Heavy-Duty	3,335	10P27CG
		30'			10P30CG
Flat Hooks	3"	27'	Heavy-Duty	4,333	3P27FH
		30'			3P30FH
Delta Rings	3"	27'	Heavy-Duty	4,333	3P27DR
		30'			3P30DR
Chain with Grab hooks	3"	27'	Heavy-Duty	4,333	3P27CG
		30'			3P30CG
Flat Hooks	4"	27'	Heavy-Duty	5,000	4P27FH
		30'			4P30FH
Delta Rings	4"	27'	Heavy-Duty	5,000	4P27DR
		30'			4P30DR
Chain with Grab hooks	4"	27'	Heavy-Duty	5,000	4P27CG
		30'			4P30CG



Flat Hook



Snap Hook



Chain With Grab Hook



Delta Ring

